


MD30AN

Digital position indicator MD 30- AN



Description	Code black colour	Stock	Code orange colour	Stock	Code grey colour	Stock	Weight grams
MD 30 AN PITCH 0,5 SX	01MD305258	-	01MD305260	-	01MD305261	-	38
MD 30 AN PITCH 0,5 DX	01MD305259	-	01MD30846	-	01MD305262	-	38
MD 30 AN 1,0 SX 1,0 SX	01MD30502	-	01MD30504	-	01MD30506	-	38
MD 30 AN 1,0 DX 1,0 DX	01MD30501	-	01MD30503	-	01MD30505	-	38
MD 30 AN PITCH 1,5 DX	01MD30507	-	01MD30509	-	01MD30511	-	38
MD 30 AN PITCH 1,5 SX	01MD30508	-	01MD30510	-	01MD30512	-	38
MD 30 AN PITCH 2,0 SX	01MD30514	-	01MD30516	-	01MD30518	-	38
MD 30 AN PITCH 2,0 DX	01MD30513	-	01MD30515	-	01MD30517	-	38
MD 30 AN PITCH 2,5 SX	01MD305281	-	01MD305053	-	01MD305283	-	38
MD 30 AN PITCH 2,5 DX	01MD305282	-	01MD305055	-	01MD305284	-	38
MD 30 AN PITCH 3,0 SX	01MD30520	-	01MD30522	-	01MD30524	-	38
MD 30 AN PITCH 3,0 DX	01MD30519	-	01MD30521	-	01MD30523	-	38
MD 30 AN PITCH 4,0 SX	01MD30526	-	01MD30528	-	01MD30530	-	38
MD 30 AN PITCH 4,0 DX	01MD30525	-	01MD30527	-	01MD30529	-	38
MD 30 AN PITCH 5,0 DX	01MD305121	-	01MD305123	-	01MD305125	-	38
MD 30 AN PITCH 5,0 SX	01MD305122	-	01MD305124	-	01MD305126	-	38
MD 30 AN PITCH 6,0 SX	01MD305145	-	01MD305147	-	01MD305149	-	38
MD 30 AN PITCH 6,0 DX	01MD305146	-	01MD305148	-	01MD305150	-	38
MD 30 AN PITCH 7,5 SX	01MD305167	-	01MD305169	-	01MD305171	-	38
MD 30 AN PITCH 7,5 DX	01MD305168	-	01MD305170	-	01MD305172	-	38
MD 30 AN PITCH 8,0 SX	01MD305296	-	01MD305298	-	01MD305300	-	38
MD 30 AN PITCH 8,0 DX	01MD305295	-	01MD305297	-	01MD305299	-	38
MD 30 AN PITCH 10,0 SX	01MD305191	-	01MD305192	-	01MD305195	-	38
MD 30 AN PITCH 10,0 DX	01MD305190	-	01MD305193	-	01MD305194	-	38
MD 30 AN PITCH 12,0 SX	01MD305212	-	01MD305214	-	01MD305217	-	38
MD 30 AN PITCH 12,0 DX	01MD305213	-	01MD305215	-	01MD305216	-	38

Housing



Thenar Srl - Via della Costituzione, 66 - 42015 Correggio (RE) Italy
 Tel. +39 0522 740511 - Fax +39 0522 740555 - info@thenar.it - www.thenar.it
 THENAR models are reserved property under the law - Non- reproducible drawings unless the source is cited.

In technopolymer resistant to mineral oils, fats, saturated hydrocarbons (benzines), alkaline solutions, diluted acids, saline solutions.

Reading

Four figure counter (3 unities in black colour and 1 decimal in red colour, or 2 unities in black colour and 2 decimals in red colour). The lenticular window improves the readability, numbers 4 mm high.

Available Colours

- Black Ral 9011 Shiny finishing
- Orange Ral 2004 Shiny finishing
- Grey Ral 7035 Shiny finishing

Assembly

With pressure screw, head with hexagonal hollow, flat end.

Bush

Burnished steel with standard hole diam. 14 H7.

Positioning


By means of the back reference pin.

Gasket

Black polyurethane and closed- cells with adhesive upon request: synthetic rubber DG52.

MD30AR

Digital position indicator MD 30- AR



Description	Code Black colour	Stock	Code Orange colour	Stock	Code Grey colour	Stock	Weight grams
MD 30 AR PITCH 0,5 SX	01MD305263	-	01MD305265	-	01MD305268	-	38
MD 30 AR PITCH 0,5 DX	01MD305264	-	01MD305266	-	01MD305267	-	38
MD 30 AR PITCH 1,0 DX	01MD30531	-	01MD30533	-	01MD30535	-	38
MD 30 AR PITCH 1,0 SX	01MD30532	-	01MD30534	-	01MD30536	-	38
MD 30 AR PITCH 1,5 DX	01MD30537	-	01MD30539	-	01MD30541	-	38
MD 30 AR PITCH 1,5 SX	01MD30538	-	01MD30540	-	01MD30542	-	38
MD 30 AR PITCH 2,0 SX	01MD30544	-	01MD30546	-	01MD30548	-	38
MD 30 AR PITCH 2,0 DX	01MD30543	-	01MD30545	-	01MD30547	-	38
MD 30 AR PITCH 2,5 SX	01MD30509	-	01MD305061	-	01MD305063	-	38
MD 30 AR PITCH 2,5 DX	01MD30508	-	01MD305060	-	01MD305062	-	38
MD 30 AR PITCH 3,0 SX	01MD30550	-	01MD30552	-	01MD30554	-	38
MD 30 AR PITCH 3,0 DX	01MD30549	-	01MD30551	-	01MD30553	-	38
MD 30 AR PITCH 4,0 SX	01MD30556	-	01MD30558	-	01MD30560	-	38
MD 30 AR PITCH 4,0 DX	01MD30555	-	01MD30557	-	01MD30559	-	38
MD 30 AR PITCH 5,0 SX	01MD305128	-	01MD305130	-	01MD305132	-	38
MD 30 AR PITCH 5,0 DX	01MD305127	-	01MD305129	-	01MD305131	-	38
MD 30 AR PITCH 6,0 SX	01MD305151	-	01MD305153	-	01MD305156	-	38
MD 30 AR PITCH 6,0 DX	01MD305152	-	01MD305154	-	01MD305155	-	38
MD 30 AR PITCH 7,5 SX	01MD305173	-	01MD305176	-	01MD305177	-	38
MD 30 AR PITCH 7,5 DX	01MD305174	-	01MD305055	-	01MD305176	-	38
MD 30 AR PITCH 8,0 SX	01MD305302	-	01MD305304	-	01MD305306	-	38
MD 30 AR PITCH 8,0 DX	01MD305301	-	01MD305303	-	01MD305305	-	38
MD 30 AR PITCH 10,0 SX	01MD305193	-	01MD305191	-	01MD305192	-	38
MD 30 AR PITCH 10,0 DX	01MD305192	-	01MD305190	-	01MD305199	-	38
MD 30 AR PITCH 12,0 DX	01MD305218	-	01MD305057	-	01MD305221	-	38
MD 30 AR PITCH 12,0 SX	01MD305219	-	01MD305220	-	01MD305222	-	38

Colors available:

- Black Ral 9011 Shiny finishing
- Orange Ral 2004 Shiny finishing
- Grey Ral 7035 Shiny finishing

Housing



Thenar Srl - Via della Costituzione, 66 - 42015 Correggio (RE) Italy
 Tel. +39 0522 740511 - Fax +39 0522 740555 - info@thenar.it - www.thenar.it
 THENAR models are reserved property under the law - Non- reproducible drawings unless the source is cited.

In technopolymer resistant to mineral oils, fats, saturated hydrocarbons (benzines), alkaline solutions, diluted acids, saline solutions.

Reading

Four figure counter (3 unities in black colour and 1 decimal in red colour, or 2 unities in black colour and 2 decimals in red colour). The lenticular window improves the readability, numbers 4 mm high.

Assembly

With pressure screw, head with hexagonal hollow, flat end.

Bush

Burnished steel with standard hole diam. 14 H7.

Positioning


By means of the back reference pin.

Gasket

Black polyurethane and closed- cells with adhesive upon request: synthetic rubber DG52.

MD30FN

Digital position indicator MD 30- FN



Description	Code Black colour	Stock	Code Orange colour	Stock	Code Grey colour	Stock	Weight grams
MD 30 FN PITCH 0,5 DX	01MD305269	-	01MD305271	-	01MD305273	-	38
MD 30 FN PITCH 0,5 SX	01MD305270	-	01MD305272	-	01MD305274	-	38
MD 30 FN PITCH 1,0 SX	01MD30562	-	01MD30564	-	01MD30566	-	38
MD 30 FN PITCH 1,0 DX	01MD30561	-	01MD30563	-	01MD30565	-	38
MD 30 FN PITCH 1,5 DX	01MD30567	-	01MD30569	-	01MD30571	-	38
MD 30 FN PITCH 1,5 SX	01MD30568	-	01MD30570	-	01MD30572	-	38
MD 30 FN PITCH 2,0 DX	01MD30573	-	01MD30575	-	01MD30577	-	38
MD 30 FN PITCH 2,0 SX	01MD30574	-	01MD30576	-	01MD30578	-	38
MD 30 FN PITCH 2,5 DX	01MD305319	-	01MD305285	-	01MD305287	-	38
MD 30 FN PITCH 2,5 SX	01MD305320	-	01MD305286	-	01MD305288	-	38
MD 30 FN PITCH 3,0 SX	01MD30580	-	01MD30582	-	01MD30584	-	38
MD 30 FN PITCH 3,0 DX	01MD30579	-	01MD30581	-	01MD30583	-	38
MD 30 FN PITCH 4,0 SX	01MD30586	-	01MD30588	-	01MD30590	-	38
MD 30 FN PITCH 4,0 DX	01MD30585	-	01MD30587	-	01MD30589	-	38
MD 30 FN PITCH 5,0 DX	01MD305133	-	01MD305135	-	01MD305137	-	38
MD 30 FN PITCH 5,0 SX	01MD305134	-	01MD305136	-	01MD305138	-	38
MD 30 FN PITCH 6,0 DX	01MD305157	-	01MD30145	-	01MD305159	-	38
MD 30 FN PITCH 6,0 SX	01MD305158	-	01MD30146	-	01MD305160	-	38
MD 30 FN PITCH 7,5 DX	01MD305178	-	01MD305180	-	01MD305182	-	38
MD 30 FN PITCH 7,5 SX	01MD305179	-	01MD305181	-	01MD305183	-	38
MD 30 FN PITCH 8,0 SX	01MD305308	-	01MD305310	-	01MD305312	-	38
MD 30 FN PITCH 8,0 DX	01MD305307	-	01MD305309	-	01MD305311	-	38
MD 30 FN PITCH 10,0 SX	01MD305201	-	01MD305203	-	01MD305205	-	38
MD 30 FN PITCH 10,0 DX	01MD305200	-	01MD305202	-	01MD305204	-	38
MD 30 FN PITCH 12,0 DX	01MD305223	-	01MD305225	-	01MD305227	-	38
MD 30 FN PITCH 12,0 SX	01MD305224	-	01MD305226	-	01MD305228	-	38

Colors available:

- Black Ral 9011 Shiny finishing
 - Orange Ral 2004 Shiny finishing
 - Grey Ral 7035 Shiny finishing
-

Housing

In technopolymer resistant to mineral oils, fats, saturated hydrocarbons (benzines), alkaline solutions, diluted acids, saline solutions.

Reading

Four figure counter (3 unities in black colour and 1 decimal in red colour, or 2 unities in black colour and 2 decimals in red colour). The lenticular window improves the readability, numbers 4 mm high.

Assembly

With pressure screw, head with hexagonal hollow, flat end.

Bush

Burnished steel with standard hole diam. 14 H7.

Positioning


By means of the back reference pin.

Gasket

Black polyurethane and closed- cells with adhesive upon request: synthetic rubber DG52.

MD30FR

Digital position indicator MD 30- FR



Description	Code Black colour	Stock	Code Orange colour	Stock	Code Grey colour	Stock	Weight grams
MD 30 FR PITCH 0,5 DX	01MD305275	-	01MD305277	-	01MD305279	-	38
MD 30 FR PITCH 0,5 SX	01MD305276	-	01MD305278	-	01MD305280	-	38
MD 30 FR PITCH 1,0 DX	01MD30591	-	01MD30593	-	01MD30595	-	38
MD 30 FR PITCH 1,0 SX	01MD30592	-	01MD30594	-	01MD30596	-	38
MD 30 FR PITCH 1,5 DX	01MD30597	-	01MD30599	-	01MD305101	-	38
MD 30 FR PITCH 1,5 SX	01MD30598	-	01MD30600	-	01MD305102	-	38
MD 30 FR PITCH 2,0 DX	01MD305103	-	01MD305105	-	01MD305107	-	38
MD 30 FR PITCH 2,0 SX	01MD305104	-	01MD305106	-	01MD305108	-	38
MD 30 FR PITCH 2,5 DX	01MD305289	-	01MD305291	-	01MD305293	-	38
MD 30 FR PITCH 2,5 SX	01MD305290	-	01MD305292	-	01MD305294	-	38
MD 30 FR PITCH 3,0 SX	01MD305110	-	01MD305112	-	01MD305114	-	38
MD 30 FR PITCH 3,0 DX	01MD305109	-	01MD305111	-	01MD305113	-	38
MD 30 FR PITCH 4,0 SX	01MD305116	-	01MD305118	-	01MD305120	-	38
MD 30 FR PITCH 4,0 DX	01MD305115	-	01MD305117	-	01MD305119	-	38
MD 30 FR PITCH 5,0 DX	01MD305139	-	01MD305141	-	01MD305143	-	38
MD 30 FR PITCH 5,0 SX	01MD305140	-	01MD305142	-	01MD305144	-	38
MD 30 FR PITCH 6,0 DX	01MD305161	-	01MD305163	-	01MD305165	-	38
MD 30 FR PITCH 6,0 SX	01MD305162	-	01MD305164	-	01MD305166	-	38
MD 30 FR PITCH 7,5 DX	01MD305184	-	01MD305186	-	01MD305188	-	38
MD 30 FR PITCH 7,5 SX	01MD305185	-	01MD305187	-	01MD305189	-	38
MD 30 FR PITCH 8,0 SX	01MD305314	-	01MD305316	-	01MD305318	-	38
MD 30 FR PITCH 8,0 DX	01MD305313	-	01MD305315	-	01MD305317	-	38
MD 30 FR PITCH 10,0 SX	01MD305207	-	01MD305209	-	01MD305211	-	38
MD 30 FR PITCH 10,0 DX	01MD305206	-	01MD305208	-	01MD305210	-	38
MD 30 FR PITCH 12,0 DX	01MD305229	-	01MD305231	-	01MD305233	-	38
MD 30 FR PITCH 12,0 SX	01MD305230	-	01MD305232	-	01MD305234	-	38

Colors available:

- Black Ral 9011 Shiny finishing
- Orange Ral 2004 Shiny finishing
- Grey Ral 7035 Shiny finishing



Thenar Srl - Via della Costituzione, 66 - 42015 Correggio (RE) Italy
 Tel. +39 0522 740511 - Fax +39 0522 740555 - info@thenar.it - www.thenar.it
 THENAR models are reserved property under the law - Non- reproducible drawings unless the source is cited.

Housing

In technopolymer resistant to mineral oils, fats, saturated hydrocarbons (benzines), alkaline solutions, diluted acids, saline solutions.

Reading

Four figure counter (3 unities in black colour and 1 decimal in red colour, or 2 unities in black colour and 2 decimals in red colour). The lenticular window improves the readability, numbers 4 mm high.

Assembly

With pressure screw, head with hexagonal hollow, flat end.

Bush

Burnished steel with standard hole diam. 14 H7.

Positioning


By means of the back reference pin.

Gasket

Black polyurethane and closed- cells with adhesive upon request: synthetic rubber DG52.

MD50AN

Digital position indicator MD 50- AN



Description	Code Black colour	Stock	Code Orange colour	Stock	Code Grey colour	Stock	Weight grams
MD 50 AN PITCH 0,5 SX	01MD50002	-	01MD50004	-	01MD50006	-	94
MD 50 AN PITCH 0,5 DX	01MD50001	-	01MD50003	-	01MD50005	-	94
MD 50 AN PITCH 1,0 DX	01MD50007	-	01MD50009	-	01MD50011	-	94
MD 50 AN PITCH 1,0 SX	01MD50008	-	01MD50010	-	01MD50012	-	94
MD 50 AN PITCH 1,5 DX	01MD50013	-	01MD50015	-	01MD50017	-	94
MD 50 AN PITCH 1,5 SX	01MD50014	-	01MD50016	-	01MD50018	-	94
MD 50 AN PITCH 2,0 DX	01MD50019	-	01MD50021	-	01MD50023	-	94
MD 50 AN PITCH 2,0 SX	01MD50020	-	01MD50022	-	01MD50024	-	94
MD 50 AN PITCH 2,5 SX	01MD50026	-	01MD50028	-	01MD50030	-	94
MD 50 AN PITCH 2,5 DX	01MD50025	-	01MD50027	-	01MD50029	-	94
MD 50 AN PITCH 3,0 SX	01MD50032	-	01MD50034	-	01MD50036	-	94
MD 50 AN PITCH 3,0 DX	01MD50031	-	01MD50033	-	01MD50035	-	94
MD 50 AN PITCH 4,0 DX	01MD50037	-	01MD50039	-	01MD50041	-	94
MD 50 AN PITCH 4,0 SX	01MD50038	-	01MD50040	-	01MD50042	-	94
MD 50 AN PITCH 5,0 DX	01MD50043	-	01MD50045	-	01MD50047	-	94
MD 50 AN PITCH 5,0 SX	01MD50044	-	01MD50046	-	01MD50048	-	94
MD 50 AN PITCH 6,0 SX	01MD50266	-	01MD50268	-	01MD50270	-	94
MD 50 AN PITCH 6,0 DX	01MD50265	-	01MD50267	-	01MD50269	-	94
MD 50 AN PITCH 10,0 SX	01MD50062	-	01MD50064	-	01MD50066	-	94
MD 50 AN PITCH 10,0 DX	01MD50061	-	01MD50063	-	01MD50065	-	94

Colors available:

- Black Ral 9011 Shiny finishing
- Orange Ral 2004 Shiny finishing
- Grey Ral 7035 Shiny finishing

Housing

In technopolymer resistant to mineral oils, fats, saturated hydrocarbons (benzines), alkaline solutions, diluted acids, saline solutions.

Reading

Five figure counter (4 unities in black colour and 1 decimal in red colour, or 3 unities in black colour and 2 decimals in red colour). The lenticular window improves the readability, numbers 6 mm high.



Thenar Srl - Via della Costituzione, 66 - 42015 Correggio (RE) Italy
 Tel. +39 0522 740511 - Fax +39 0522 740555 - info@thenar.it - www.thenar.it
 THENAR models are reserved property under the law - Non- reproducible drawings unless the source is cited.

Assembly

With pressure screw, head with hexagonal hollow, flat end.

Bush

Burnished steel with standard hole diam. 20 H7.

Positioning


By means of the back reference pin.

Gasket

Black polyurethane and closed- cells with adhesive upon request: synthetic rubber DG52.

MD50AR

Digital position indicator MD 50- AR



Description	Code Black colour	Stock	Code Orange colour	Stock	Code Grey colour	Stock	Weight grams
MD 50 AR PITCH 0,5 SX	01MD50068	-	01MD50070	-	01MD50072	-	94
MD 50 AR PITCH 0,5 DX	01MD50067	-	01MD50069	-	01MD50071	-	94
MD 50 AR PITCH 1,0 DX	01MD50073	-	01MD50075	-	01MD50077	-	94
MD 50 AR PITCH 1,0 SX	01MD50074	-	01MD50076	-	01MD50078	-	94
MD 50 AR PITCH 1,5 DX	01MD50079	-	01MD50081	-	01MD50083	-	94
MD 50 AR PITCH 1,5 SX	01MD50080	-	01MD50082	-	01MD50084	-	94
MD 50 AR PITCH 2,0 DX	01MD50085	-	01MD50087	-	01MD50089	-	94
MD 50 AR PITCH 2,0 SX	01MD50086	-	01MD50088	-	01MD50090	-	94
MD 50 AR PITCH 2,5 SX	01MD50092	-	01MD50094	-	01MD50096	-	94
MD 50 AR PITCH 2,5 DX	01MD50091	-	01MD50093	-	01MD50095	-	94
MD 50 AR PITCH 3,0 SX	01MD50098	-	01MD50100	-	01MD50102	-	94
MD 50 AR PITCH 3,0 DX	01MD50097	-	01MD50099	-	01MD50101	-	94
MD 50 AR PITCH 4,0 DX	01MD50103	-	01MD50105	-	01MD50107	-	94
MD 50 AR PITCH 4,0 SX	01MD50104	-	01MD50106	-	01MD50108	-	94
MD 50 AR PITCH 5,0 DX	01MD50109	-	01MD50111	-	01MD50113	-	94
MD 50 AR PITCH 5,0 SX	01MD50110	-	01MD50112	-	01MD50114	-	94
MD 50 AR PITCH 6,0 DX	01MD50271	-	01MD50275	-	01MD50276	-	94
MD 50 AR PITCH 6,0 SX	01MD50273	-	01MD50274	-	01MD50277	-	94
MD 50 AR PITCH 10,0 SX	01MD50128	-	01MD50130	-	01MD50132	-	94
MD 50 AR PITCH 10,0 DX	01MD50127	-	01MD50129	-	01MD50131	-	94

Colors available:

- Black Ral 9011 Shiny finishing
- Orange Ral 2004 Shiny finishing
- Grey Ral 7035 Shiny finishing

Housing

In technopolymer resistant to mineral oils, fats, saturated hydrocarbons (benzines), alkaline solutions, diluted acids, saline solutions.

Reading

Five figure counter (4 unities in black colour and 1 decimal in red colour, or 3 unities in black colour and 2 decimals in red colour). The lenticular window improves the readability, numbers 6 mm high.



Thenar Srl - Via della Costituzione, 66 - 42015 Correggio (RE) Italy
 Tel. +39 0522 740511 - Fax +39 0522 740555 - info@thenar.it - www.thenar.it
 THENAR models are reserved property under the law - Non- reproducible drawings unless the source is cited.

Assembly

With pressure screw, head with hexagonal hollow, flat end.

Bush

Burnished steel with standard hole diam. 20 H7.

Positioning


By means of the back reference pin.

Gasket

Black polyurethane and closed- cells with adhesive upon request: synthetic rubber DG52.

MD50FN

Digital position indicator MD 50- FN



Description	Code Black colour	Stock	Code Orange colour	Stock	Code Grey colour	Stock	Weight grams
MD 50 FN PITCH 0,5 DX	01MD50133	-	01MD50135	-	01MD50137	-	94
MD 50 FN PITCH 0,5 SX	01MD50134	-	01MD50136	-	01MD50138	-	94
MD 50 FN PITCH 1,0 SX	01MD50140	-	01MD50142	-	01MD50144	-	94
MD 50 FN PITCH 1,0 DX	01MD50139	-	01MD50141	-	01MD50143	-	94
MD 50 FN PITCH 1,5 SX	01MD50146	-	01MD50148	-	01MD50150	-	94
MD 50 FN PITCH 1,5 DX	01MD50145	-	01MD50147	-	01MD50149	-	94
MD 50 FN PITCH 2,0 SX	01MD50152	-	01MD50154	-	01MD50156	-	94
MD 50 FN PITCH 2,0 DX	01MD50151	-	01MD50153	-	01MD50155	-	94
MD 50 FN PITCH 2,5 SX	01MD50158	-	01MD50160	-	01MD50162	-	94
MD 50 FN PITCH 2,5 DX	01MD50157	-	01MD50159	-	01MD50161	-	94
MD 50 FN PITCH 3,0 DX	01MD50163	-	01MD50165	-	01MD50167	-	94
MD 50 FN PITCH 3,0 SX	01MD50164	-	01MD50166	-	01MD50168	-	94
MD 50 FN PITCH 4,0 SX	01MD50170	-	01MD50172	-	01MD50174	-	94
MD 50 FN PITCH 4,0 DX	01MD50169	-	01MD50171	-	01MD50173	-	94
MD 50 FN PITCH 5,0 DX	01MD50187	-	01MD50189	-	01MD50191	-	94
MD 50 FN PITCH 5,0 SX	01MD50188	-	01MD50190	-	01MD50192	-	94
MD 50 FN PITCH 6,0 DX	01MD50278	-	01MD50272	-	01MD50281	-	94
MD 50 FN PITCH 6,0 SX	01MD50279	-	01MD50280	-	01MD50282	-	94
MD 50 FN PITCH 10,0 SX	01MD50194	-	01MD50196	-	01MD50198	-	94
MD 50 FN PITCH 10,0 DX	01MD50193	-	01MD50195	-	01MD50197	-	94

Colors available:

- Black Ral 9011 Shiny finishing
- Orange Ral 2004 Shiny finishing
- Grey Ral 7035 Shiny finishing

Housing

In technopolymer resistant to mineral oils, fats, saturated hydrocarbons (benzines), alkaline solutions, diluted acids, saline solutions.

Reading

Five figure counter (4 unities in black colour and 1 decimal in red colour, or 3 unities in black colour and 2 decimals in red colour). The lenticular window improves the readability, numbers 6 mm high.



Thenar Srl - Via della Costituzione, 66 - 42015 Correggio (RE) Italy

Tel. +39 0522 740511 - Fax +39 0522 740555 - info@thenar.it - www.thenar.it

THENAR models are reserved property under the law - Non- reproducible drawings unless the source is cited.

Assembly

With pressure screw, head with hexagonal hollow, flat end.

Bush

Burnished steel with standard hole diam. 20 H7.

Positioning


By means of the back reference pin.

Gasket

Black polyurethane and closed- cells with adhesive upon request: synthetic rubber DG52.

MD50FR

Digital position indicator MD 50- FR



Description	Code Black colour	Stock	Code Orange colour	Stock	Code Grey colour	Stock	Weight grams
MD 50 FR PITCH 0,5 DX	01MD50199	-	01MD50201	-	01MD50203	-	94
MD 50 FR PITCH 0,5 SX	01MD50200	-	01MD50202	-	01MD50204	-	94
MD 50 FR PITCH 1,0 DX	01MD50205	-	01MD50207	-	01MD50209	-	94
MD 50 FR PITCH 1,0 SX	01MD50206	-	01MD50208	-	01MD50210	-	94
MD 50 FR PITCH 1,5 SX	01MD50212	-	01MD50214	-	01MD50216	-	94
MD 50 FR PITCH 1,5 DX	01MD50211	-	01MD50213	-	01MD50215	-	94
MD 50 FR PITCH 2,0 SX	01MD50218	-	01MD50220	-	01MD50222	-	94
MD 50 FR PITCH 2,0 DX	01MD50217	-	01MD50219	-	01MD50221	-	94
MD 50 FR PITCH 2,5 DX	01MD50223	-	01MD50225	-	01MD50227	-	94
MD 50 FR PITCH 2,5 SX	01MD50224	-	01MD50226	-	01MD50228	-	94
MD 50 FR PITCH 3,0 DX	01MD50229	-	01MD50231	-	01MD50233	-	94
MD 50 FR PITCH 3,0 SX	01MD50230	-	01MD50232	-	01MD50234	-	94
MD 50 FR PITCH 4,0 DX	01MD50235	-	01MD50237	-	01MD50239	-	94
MD 50 FR PITCH 4,0 SX	01MD50236	-	01MD50238	-	01MD50240	-	94
MD 50 FR PITCH 5,0 DX	01MD50241	-	01MD50243	-	01MD50245	-	94
MD 50 FR PITCH 5,0 SX	01MD50242	-	01MD50244	-	01MD50246	-	94
MD 50 FR PITCH 6,0 DX	01MD50283	-	01MD50285	-	01MD50287	-	94
MD 50 FR PITCH 6,0 SX	01MD50284	-	01MD50286	-	01MD50288	-	94
MD 50 FR PITCH 10,0 SX	01MD50260	-	01MD50262	-	01MD50264	-	94
MD 50 FR PITCH 10,0 DX	01MD50259	-	01MD50261	-	01MD50263	-	94

Colors available:

- Black Ral 9011 Shiny finishing
- Orange Ral 2004 Shiny finishing
- Grey Ral 7035 Shiny finishing

Housing

In technopolymer resistant to mineral oils, fats, saturated hydrocarbons (benzines), alkaline solutions, diluted acids, saline solutions.

Reading

Five figure counter (4 unities in black colour and 1 decimal in red colour, or 3 unities in black colour and 2 decimals in red colour). The lenticular window improves the readability, numbers 6 mm high.

Assembly



Thenar Srl - Via della Costituzione, 66 - 42015 Correggio (RE) Italy
 Tel. +39 0522 740511 - Fax +39 0522 740555 - info@thenar.it - www.thenar.it
 THENAR models are reserved property under the law - Non- reproducible drawings unless the source is cited.

With pressure screw, head with hexagonal hollow, flat end.

Bush




Burnished steel with standard hole diam. 20 H7.

Positioning

By means of the back reference pin.

Gasket

Back polyurethane and closed- cells with adhesive upon request: synthetic rubber DG52.



Code	Description	Dimensions		Weight grams	Stock
		d			
01MR30E	Adapter bush D.10	10		2	
01MR30F	Adapter Bush D.12	12		1,5	
01MR50E	Adapter bush	10		10	
01MR50F	Adapter bush	12		9,5	
01MR50G	Adapter bush	14		9	-
01MR50I	Adapter bush	16		8,5	-
01MR50L	Adapter bush	17		8	-
01MR50M	Adapter bush	18		7,5	-

Material


Glass- fiber reinforced polyamide- based (PA) technopolymer.

Resistant to organic and inorganic chemical substances such as oils, greases, fuels and solvents.

Colour

Black. Satin finish.

Knob for position indicator



How to order the knob with cap:

Example: Knob code 01MP30 with yellow cap = code 01MP30-G

Black cap:	Yellow cap:	Red cap:	Green cap:	Blue cap:	Orange cap:
Cod. + N	Cod. + G	Cod. + R	Cod. + V	Cod. + B	Cod. + A

Code	Description	Dimensions			Weight grams	Stock	
		L	D	d			
01MP30	MP30 D.14 for 01MD30	17	32		14	25	

Material

Aluminium.

Colour

Black anodized.

Other colours for suitable quantities.

Assembly

On position indicator MD30 by means of pins included in the supply.

Cap

Knob cover cap in black RAL 7021, yellow RAL 1021, red RAL 3020, green RAL 6018, blue RAL 5015, orange RAL 2004.

Satin finish. Pressure assembly, easily removable.

On request customisation with other colours, logo and/ or graphics, for suitable quantities.